# DATASHEET - M22S-R30

#### Set of adapter rings

Part no.	M22S-R30
Catalog No.	216408
Alternate Catalog	M22S-R30Q
No.	
EL-Nummer	4355422
(Norway)	



### **Delivery program**

Accessories	General accessories
Basic function accessories	Set of adapter rings
	Consists of adapter ring and lock nut
Degree of Protection	IP66, IP67, IP69
Colour	
	Black
Front ring	Bezel: black
Connection to SmartWire-DT	no
For use with	Mounting of $\varnothing$ 22.3 devices In $\varnothing$ 30.5 drill holes. Degree of protection is determined by the front element.

# **Technical data**

General		
Degree of Protection		IP66, IP67, IP69
Ambient temperature		
Open	°C	-25 - +70

# Design verification as per IEC/EN 61439

In	А	0
P <sub>vid</sub>	W	0
P <sub>vid</sub>	W	0
P <sub>vs</sub>	W	0
P <sub>diss</sub>	W	0
	°C	-25
	°C	70
		Meets the product standard's requirements.
		Meets the product standard's requirements.
		Meets the product standard's requirements.
		Meets the product standard's requirements.
		Please enquire
		Does not apply, since the entire switchgear needs to be evaluated.
		Does not apply, since the entire switchgear needs to be evaluated.
		Meets the product standard's requirements.
		Does not apply, since the entire switchgear needs to be evaluated.
		Meets the product standard's requirements.
		Does not apply, since the entire switchgear needs to be evaluated.
	P <sub>vid</sub> P <sub>vid</sub> P <sub>vs</sub>	P <sub>vid</sub> W P <sub>vid</sub> W P <sub>vs</sub> W P <sub>diss</sub> W °C

10.6 Incorporation of switching devices and components	Does not apply, since the entire switchgear needs to be evaluated.
10.7 Internal electrical circuits and connections	Is the panel builder's responsibility.
10.8 Connections for external conductors	Is the panel builder's responsibility.
10.9 Insulation properties	
10.9.2 Power-frequency electric strength	Is the panel builder's responsibility.
10.9.3 Impulse withstand voltage	Is the panel builder's responsibility.
10.9.4 Testing of enclosures made of insulating material	Is the panel builder's responsibility.
10.10 Temperature rise	Not applicable.
10.11 Short-circuit rating	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 Electromagnetic compatibility	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 Mechanical function	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

## **Technical data ETIM 8.0**

Low-voltage industrial components (EG000017) / Accessories/spare parts for command devices (EC002024)			
Electric engineering, automation, process control engineering / Low-voltage switch technology / Command and alarm device / Command and alarm devices (accessories) (ecl@ss10.0.1-27-37-12-92 [ACO037010])			
Type of electrical accessory/spare part	Other		
Type of mechanical accessory/spare part	Reducing ring		
Approvals			
North America Certification	UL/CSA certification not required		
Additional product information (links)			

#### IL04716002Z (AWA1160-1745) RMQ-Titan System

IL04716002Z (AWA1160-1745) RMQ-Titan https://es-assets.eaton.com/D0CUMENTATION/AWA\_INSTRUCTIONS/IL04716002Z2021\_07.pdf System