

Faster – better – everywhere.



TS 8105.235 Side panel, screw-fastened, sheet steel

State: 14/12/2022 (Source: rittal.com/com-en)

OWER DISTRIBUTION 📎 CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES



FRIEDHELM LOH GROUP

ENCLOSURES

TS 8105.235 - Side panel, screw-fastened, sheet steel for TS, TS IT

Side panels, screw-fastened, sheet steel, for TS.

Features

Model No.	TS 8105.235
Benefits	Automatic potential equalisation and higher EMC protection due to enclosure panel holders with earthing insert Easy positioning with the location aid
Material	Earthing bolt with contact surface Sheet steel, 1.5 mm
Surface finish	Dipcoat-primed, powder-coated on the outside
Colour	RAL 7035
Supply includes	Assembly parts
Note	Enclosure panel holders may optionally be fitted from the inside or outside of the enclosure Area available for population: External dimension – 100 mm
To fit	Enclosure type: TS TS IT Height: 2,000mm Depth: 500mm
IP protection category to IEC 60 529	IP 55
Packs of	2 pc(s).
Weight/pack	27.3 kg
Copper weight (kg per piece)	0
Customs tariff number	94039910
EAN	4028177205253
ETIM 7.0	EC002524

Features

ECLASS 8.0

27182101

Approvals

Approvals

GOST

Explanations

Declaration of conformity UK