

Faster – better – everywhere.





SK 3322.700 Chopped-fibre filter mat

CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

State: 14/12/2022 (Source: rittal.com/com-en)

POWER DISTRIBUTION



FRIEDHELM LOH GROUP

ENCLOSURES

SK 3322.700 - Chopped-fibre filter mat

For the stocking of filter mats for roof-mounted fans, fan-and-filter units and thermoelectric coolers in larger packet sizes.

Features

Model No.	SK 3322.700
Design	for fan-and-filter units
Product description	Made of chopped-fibre mat with a progressive structure. Temperature-resistant to 100 °C, self-extinguishing category F1 to DIN 53 438. Dust-laden air side: Open structure. Clean-air side: Closed structure. Reliable filtering of virtually all types of dust from a particle size of 10 µm.
Material	Chemical fibres
Note	Performance data, protection category and device approvals are only guaranteed when used in conjunction with original Rittal filter mats.
To fit Model No.	3238
Dimensions	Width: 120 mm Height: 120 mm Depth: 12 mm
Filter class	to DIN EN 779: G2 to DIN EN ISO 16890: ISO Coarse 50%
Packs of	5 pc(s).
Weight/pack	0.003 kg
Copper weight (kg per piece)	0
Customs tariff number	56039390
EAN	4028177156159
ETIM 7.0	EC002513
ECLASS 8.0	27180706

Approvals

Approvals	GOST
Certificates	EAC